Toddler Carriage


M537





coordination, which is crucial to train for toddlers. The cross-coordination supports the functions in the brain that facilitate later reading skills. Thanks to the semi-open sides and the doorways and window holes, social interactions are supported from the inside to the outside. Care giver interaction is made easier, and the holes invite a nice round of peek-a-boo. In spite

of transparency, the Train still provides corners for toddlers to play den in.













The delightful Toddler Carriage si a great

and social play. The traffic theme will spur

the train? The toddlers enjoymoving their

perfectly in combination with the Toddler Train.


The through and meeting options offer physical

children's imagination: where are we going on

bodies around the train. This trains the cross-

meeting points for toddlers. It functions





Toddler Carriage

M537





Panels of 19mm EcoCore ™. EcoCore ™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled post consumer material from food packing waste.



Floor is made of HPL with a thickness 10 mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCoreTM panels of 100% post consumer recycled ocean waste.

Item no. M53700-3418P				
Installation Information				
Max. fall height	48	cm		
Safety surfacing area	13,4	m2		
Number of installers		2		
Total installation time		5,0		
Excavation volume	0,09	m3		
Concrete volume	0,00	m3		
Footing depth (standard)	60 cm			
Shipmentweight	149 kg			
Anchoring options	In-ground	•		
	Surface	~		

EcoCore HDPE	Lifetime
Movable parts	2 years
HPL decks	15 years
Spare parts guaranteed	10 years

Warranty Information



Sustainability





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	CO₂e/kg Recycled materials	
	kg CO₂e	kg CO₂e/kg	%	
M53700-3418P	173,79	1,71	56,78	
M53701-3418P	161,05	1,58	61,68	

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Validation of CO₂ calculation of: Themed play systems



Data version no. 2021-09-27

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 15. October 2021 | Valid until: 15. October 2023 Validated by:

Bootto

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of ${\rm CO_2}$ calculation of 8 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

Publication date: 15. October 2021

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



M537



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

