


No Return Trail


CRP200401

KOMPANI

Item no. CRP200401-0903

General Product Information

Dimensions LxWxH	754x610x341 cm
Age group	2+
Play capacity (users)	23
Colour options	



The cute play panels and talk tubes and the versatile climbing offerings attract children to come back to the No Return Trail again and again. The play panels' varied activities support social play and cause-and-effect understanding. The Hurdle Bridge is a fun challenge to climb over and under, and the varied climb challenges the child's cross-coordination

and spatial awareness. These motor skills are fundamental in understanding space, shapes and measures, the basics in understanding mathematics. The spider net allows for all to play thanks to the varied entrance points. The cascading bridge gently bounces back the children's movements, training their senses of balance and space. The various trail

activities train children's muscles, balance and coordination, which are fundamental for moving confidently in the world. Negotiating turn-taking when playing with other children on the trail supports social-emotional skills and the ability to make friends.




No Return Trail

CRP200401



Cascading Bridge

Physical: trains balance, coordination and spatial awareness. Develop children's sense of rhythm and timing as they move the body across the bridge. All muscles are used to hold tight.
Social-Emotional: turn-taking and consideration of others when passing each other. **Cognitive:** cause and effect understanding is supported by the bouncing effect of others' movements.



Colorful dichroic panel
Cognitive: wondering about, understanding and explaining the reasons for the color occurrence support logical thinking skills.



Crawl-through hole with bubble window and membrane

Physical: the hole allows for climbing and crawling through, developing cross-coordination, proprioception and spatial awareness. **Social-Emotional:** cooperation and turn-taking when passing one another. **Cognitive:** understanding space, shape and measures when seeing if the body fits through the hole. Understanding object permanence when playing games such as peek-a-boo.



Forrest Spidernet

Physical: cross-coordination, balance and spatial awareness are trained when climbing the net. All major muscles are used when crossing the net and using the middle rope as a swaying support. **Social-Emotional:** the big meshes allow for more children to be seated together, sharing. Children cooperate and turn-take when passing each other. **Cognitive:** cause and effect understanding is supported by the bouncing effect of others' movements.




Sphere and window with curtains

Physical: fine motor control is trained when children pull the curtains. **Social-Emotional:** social interaction between the two sides support turn-taking and cooperation skills. **Cognitive:** understanding of object permanence when playing games such as peek-a-boo. Dramatic play support, which encourages language skills. **Creative:** leaving a mark, deciding how to place the sphere or curtains.



Unequal Hurdle Bridge

Physical: arm, leg and core muscles are trained when climbing up or through the bridge. Balance, spatial awareness and proprioception are stimulated, motor skills that help children move confidently. **Social-Emotional:** cooperation and turn-taking are supported when passing other children. **Cognitive:** cause and effect understanding is supported by the bouncing effect of others' movements.



Talk tube

Social-Emotional: encourages communication and social interaction. **Cognitive:** evokes curiosity and stimulates an understanding of cause and effect and object permanence: objects and persons exist also when out of sight.

No Return Trail


CRP200401



Ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The EcoYarn™ polyester yarn is made of +95% post-consumer recycled waste in the yarn for all colors and is inductively melted onto each strand to obtain excellent wear and tear resistance.



Corocord 'S' clamps are used as universal connections in Corocord products. 8mm stainless steel rods with rounded edges are pressed around the ropes with a special hydraulic press, making them the ideal connector: safe, durable and vandalism-proof, all while allowing the typical movement of rope play structures.



Corocord smart clamps are carefully designed in every detail to ensure superior flexibility in high quality aluminum material. The smart clamps are attached around the posts with four steel bolts. Not used attachment points are closed with PA caps.



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Grey round post decks are supported by hot dipped galvanized steel and made of molded 75% post-consumer PP material with a non-skid pattern and texture surface.

Item no. CRP200401-0903

Installation Information

Max. fall height	78 cm
Safety surfacing area	58.5 m ²
Total installation time	22.9 hours
Excavation volume	2.39 m ³
Concrete volume	1.08 m ³
Footing depth (standard)	90 cm
Shipment weight	756 kg
Anchoring options	In-ground ✓ Surface ✓

Warranty Information

EcoCore HDPE	Lifetime
Hot dip galvanised steel	Lifetime
Corocord rope	10 years
PP Decks	10 years
Spare parts guaranteed	10 years



Sustainability Data

CRP200401



Cradle to Gate A1-A3

Total CO₂ emission

CO₂e/kg

Recycled material

kg CO₂e

kg CO₂e/kg

%

CRP200401-0903

3,200.23

6.04

54.55

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Independent review certificate

Kompan A/S
C. F. Tietgens Blvd. 32C, 5220 Odense SØ

Bureau Veritas hereby attests that the CO₂e-calculations (covering materials, processing, waste and transport) done by Kompan for "Corocord", meet the requirements set by the listed standard.

Kompan A/S uses a selection of EPDs and emission factors from the Life Cycle Assessment database Ecoinvent 3.11. These values are reported as kg CO₂e, with all other impact categories excluded in line with the scope of ISO 14067:2018. The emission factors cover, material use, manufacturing processes, transport to Kompan, and electricity used during manufacturing. The presented emissions fall under GHG Protocol scope 3 emissions. Scope 1 and 2 are not presented. Scope 3 emissions include emission sources in the upstream value chain of a company, downstream emission are excluded in this analysis.

Method: ISO 14067:2018 using GHG protocol guidance documents, reported as kg CO₂e.

Object

The verification has been done on the one pager "CRP302501-1101" version: 27-10-2025. The supporting documentation "KOMPAN data_updated emissions factors_2025_V2" and "Emissions factors, EPD's and ecoinvent 3.11_2025" was also reviewed and approved.

Declaration

The review has been completed as a critical review with a limited assurance. I hereby confirm that nothing has come to the reviewer's attention which would lead to conclude that the study does not give an accurate depiction or isn't completed following method of the CO₂e calculation, the requirements of ISO 14067:2018, and 14071:2024, in the above referenced documentation.

Note: This review only covers calculation elements according to method described in ISO 14067:2018 and may not be seen as a Life Cycle Assessment according to ISO 14067:2018.

Ref.: Kompan_Verification report 2025, 28-10-2025

Date of certificate: 29-10-2025

Expire date: 29-10-2027

Verified by: Julie Marie Vejsgaard Larsen, Environmental Auditor



Signature:

No Return Trail

CRP200401

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)